



WORLD TECH ENGINEERING & TRADING

CARE LABEL MACHINERY

Contact Info

Aminul Islam Rony
Proprietor



+8801911537111



activecorporation632@gmail.com



worldtechbd11@gmail.com



worldtechengineeringbd.com



Wechat



whatsapp



Address

House #61/8, Road #04, Block #B,
Mirpur #12, Pallabi, Dhaka-1216



WORLD TECH ENGINEERING & TRADING

Manufacturer, Importer, Distribution of Screen Printing Machine & Spare Parts

Phone: +880191153711, Mail: worldtechbd11@gmail.com, <https://www.worldtechengineeringbd.com>

PT2/1 Automatic Flexo Label Printing Machine

Features

- The plate cylinders can be freely exchanged to fit different printing length.
- The multiple printing result is vivid, firm and accurate registration.
- Easy operation with reliable mechanic performance.
- It can print white characters by white ink on the black roll materials.



Technical Parameter

Model	PT 2/1	Max Printing Speed	60m/min
Max Printing Length	228mm	Total power	220V/2.4Kw
Min Printing Length	127mm	Net Weight	750kg
Max Printing Width	150mm	(LxWxH)m	1660*800*1600mm

Office Address: 61/8, Road #04, Block #B, Mirpur-12, Pallabi, Dhaka-1216

Phone: +8801911-537111, **Email:** worldtechbd11@gmail.com, **Web:** worldtechengineeringbd.com



WORLD TECH ENGINEERING & TRADING

Manufacturer, Importer, Distribution of Screen Printing Machine & Spare Parts

Phone: +880191153711, Mail: worldtechbd11@gmail.com, <https://www.worldtechengineeringbd.com>

PT4/2 Automatic Flexo Label Printing Machine

Features

- The plate cylinders can be freely exchanged to fit different printing length.
- The multiple printing result is vivid, firm and accurate registration.
- Easy operation with reliable mechanic performance.
- It can print white characters by white ink on the black roll materials.



Technical Parameter

Model	PT 4/2	Max Printing Speed	60m/min
Max Printing Length	300mm	Total Power (KW)	220V/3.2KW
Min Printing Length	106mm	Net Weight	800Kg
Max Printing Width	150mm	(LxWxH)m	2400*800*1870mm

Office Address: 61/8, Road #04, Block #B, Mirpur-12, Pallabi, Dhaka-1216

Phone: +8801911-537111, **Email:** worldtechbd11@gmail.com, **Web:** worldtechengineeringbd.com



WORLD TECH ENGINEERING & TRADING

Manufacturer, Importer, Distribution of Screen Printing Machine & Spare Parts

Phone: +880191153711, Mail: worldtechbd11@gmail.com, <https://www.worldtechengineeringbd.com>

HY-2080 High Speed Ultrasonic Label Cutting Machine

Features

Ultrasonic cutting achieves smooth cutting edges and it has become important and high demand for label industries. This machine comes with multi function enable to perform crease cut similar like center fold, end fold and manhattan fold. The discharge function makes cutting easy for waste label on every cycle printed by rotary press.



Technical Parameter

Model	HY-2080	Discharge Length	5mm upwards
Label Length	15mm upwards	Power Supply	220V, AC, 2000W-2500W
Label Width	70mm	Feeding Speed	100-450m m/s
Ultrasonic Power Output	1400 W Max	Cutting Speed	300-400/minute

Office Address: 61/8, Road #04, Block #B, Mirpur-12, Pallabi, Dhaka-1216

Phone: +8801911-537111, Email: worldtechbd11@gmail.com, Web: worldtechengineeringbd.com



WORLD TECH ENGINEERING & TRADING

Manufacturer, Importer, Distribution of Screen Printing Machine & Spare Parts

Phone: +8801911537111, Mail: worldtechbd11@gmail.com, <https://www.worldtechengineeringbd.com>

JC-3080 High Speed Ultrasonic Label Cutting Machine

JC-3080 Ultrasonic Digital Label Cutter by using the digital controls, the material tapes can be adjusted and cut at various length and speed. While cutting labels, the edge of material tapes are sealed by the instant heat from the ultrasonic unit. Furthermore, the pressure of the cutting blade can be adjusted to create folding lines at the users convenience. At the end of procedure, the cutter will stack up the labels automatically and remove the static simultaneously.



Technical Parameter

Model	JC-3080	Specification	85*65*143cm
Brand	JINGDA	Cutting Speed	600 PCS/Min
Power, Rate	220V / 1.5kw	Net Weight	360kg
Cutting Materials	Polyester Satin Ribbons, Garment Wash Care Labels	Function	with Creasing Function,
Cutting Type	Ultrasonic Cutting	Production Capacity	15 Sets/Month

Office Address: 61/8, Road #04, Block #B, Mirpur-12, Pallabi, Dhaka-1216

Phone: +8801911-5371111, **Email:** worldtechbd11@gmail.com, **Web:** worldtechengineeringbd.com



WORLD TECH ENGINEERING & TRADING

Manufacturer, Importer, Distribution of Screen Printing Machine & Spare Parts

Phone: +880191153711, Mail: worldtechbd11@gmail.com, <https://www.worldtechengineeringbd.com>

JC-3080B High Speed Ultrasonic Label Cutting Machine

Features

By using the digital controls, the material tapes can be adjusted and cut at various lengths and speed. While cutting labels, the edge of the material tapes are sealed by the instant heat from the ultrasonic unit. Furthermore, the pressure of the cutting blade can be adjusted to create folding lines at the users' convenience. at the end of the procedure, the cutter will stack up the labels automatically and remove the static simultaneously.



Technical Parameter

Model	JC 3080B	Speed	700pcs/min
Brand	JINGDA	Power, Rate	220V/1.5kw
Cutting Length	1-90cm	Weight	105 kg
Cutting Width	1-73.5 cm	Dimension	65x65x143 cm

Office Address: 61/8, Road #04, Block #B, Mirpur-12, Pallabi, Dhaka-1216

Phone: +8801911-537111, Email: worldtechbd11@gmail.com, Web: worldtechengineeringbd.com



WORLD TECH ENGINEERING & TRADING

Manufacturer, Importer, Distribution of Screen Printing Machine & Spare Parts

Phone: +8801911537111, Mail: worldtechbd11@gmail.com, <https://www.worldtechengineeringbd.com>

JQ-3010 Cold Knife Label Cutting Machine

Advantages

BY using digital controls, the materials tapes can be adjusted and cut at various lengths and speed. while cutting labels, the edge of the material tapes are sealed by the instant heat from the ultrasonic unit. Furthermore, the pressure of the cutting blade can be adjusted to create folding lines at the user's convenience at the end of the procedure, the cutter will stack up the labels automatically and remove the static simultaneously.



Technical Parameter

Model No	JQ-3010	Cutting Speed	600pcs/min
Brand	JINGDA	Power, rate	220V, 1.5Kw
Cutting Length	1-70 cm	Weight	50 kg
Cutting Width	10-100mm	Dimension	600x440x440mm

Office Address: 61/8, Road #04, Block #B, Mirpur-12, Pallabi, Dhaka-1216

Phone: +8801911-537111, Email: worldtechbd11@gmail.com, Web: worldtechengineeringbd.com



WORLD TECH ENGINEERING & TRADING

Manufacturer, Importer, Distribution of Screen Printing Machine & Spare Parts

Phone: +8801911537111, Mail: worldtechbd11@gmail.com, <https://www.worldtechengineeringbd.com>

JQ-3010B Cold Knife Label Cutting Machine

Advantages

BY using digital controls, the materials tapes can be adjusted and cut at various lengths and speed. while cutting labels, the edge of the material tapes are sealed by the instant heat from the ultrasonic unit. Furthermore, the pressure of the cutting blade can be adjusted to create folding lines at the user's convenience at the end of the procedure, the cutter will stack up the labels automatically and remove the static simultaneously.



Technical Parameter

Model No	JQ-3010B	Cutting Speed	600pcs/min
Brand	JINGDA	Power, rate	220V, 1.5Kw
Cutting Length	10-999mm	Weight	50 kg
Cutting Width	10-80mm	Dimension	900x440x440mm
Cutting Speed	600pcs/min	Stacker	30-200mm

Office Address: 61/8, Road #04, Block #B, Mirpur-12, Pallabi, Dhaka-1216

Phone: +8801911-5371111, Email: worldtechbd11@gmail.com, Web: worldtechengineeringbd.com



WORLD TECH ENGINEERING & TRADING

Manufacturer, Importer, Distribution of Screen Printing Machine & Spare Parts

Phone: +880191153711, Mail: worldtechbd11@gmail.com, <https://www.worldtechengineeringbd.com>

JZ-2817 Micro-computer Label Cutting & Folding Machine

Advantages

It can be cutting & folding belt materials such as woven label, satin ribbon tape, cloth tape, cotton tape and nylon taffeta. It is suitable for end folding, centre folding, mitre folding and piece cut. JZB-2817 model is easy to operate and has superb performance. It is Designed especially for with soft labels and its smooth operate.



Technical Parameter

Model	JZ-2817	Speed	200pcs/min
Brand	JINGDA	Power, Rate	220V/2.5kw
Cutting Length	18-180mm	Weight	318 kg
Cutting Width	10-55mm	Dimension	1610x1065x435 mm

Office Address: 61/8, Road #04, Block #B, Mirpur-12, Pallabi, Dhaka-1216

Phone: +8801911-537111, **Email:** worldtechbd11@gmail.com, **Web:** worldtechengineeringbd.com



WORLD TECH ENGINEERING & TRADING

Manufacturer, Importer, Distribution of Screen Printing Machine & Spare Parts

Phone: +880191153711, Mail: worldtechbd11@gmail.com, <https://www.worldtechengineeringbd.com>

JZ-2816C Ultrasonic Label Cutting & Folding Machine

Advantages

JZC-2816C Ultrasonic label cutting & folding machine (Roller Feeding). The length of the care labels has become longer and longer today due to more languages have been squeegeed into the labels, JZC-2816C is a product that helps to ultrasonic cut and center fold long labels. High speed, quiet, smooth, and user friendly control labels with a maximum length of 300mm (after fold 100mm). According to request, cold cut or hot cut module could be added on as optional, It also consists of the waste label removal function.



Technical Parameter

Model	JZ-2816C	Speed	210pcs/min
Brand	JINGDA	Power, Rate	220V/2.5kw
Cutting Length	20-80mm	Weight	250 kg
Cutting Width	10-55mm	Dimension	1610x1200x1600mm

Office Address: 61/8, Road #04, Block #B, Mirpur-12, Pallabi, Dhaka-1216

Phone: +8801911-537111, Email: worldtechbd11@gmail.com, Web: worldtechengineeringbd.com



WORLD TECH ENGINEERING & TRADING

Manufacturer, Importer, Distribution of Screen Printing Machine & Spare Parts

Phone: +880191153711, Mail: worldtechbd11@gmail.com, <https://www.worldtechengineeringbd.com>

Electric Thermostatic Drying Oven

Application

Printed Fabric Garment Care Label Drying Oven is the ultimate solution for ensuring the longevity of your printed fabric garment care labels. This oven is designed specifically to dry printed fabric labels and keep them in perfect condition for as long as possible.



Technical Parameter

Model	101-2	101-4
Brand	JINGDA	JINGDA
Working Dimension(DxWxH)	450x550x550mm	800x800x1000mm
Outline Dimension (DxWxH)	590x870x790mm	940x1180x1034mm
Power Rate	220V/3KW	380V/8KW
Operating Temperature	50-300 °C	50-300 Degree
Sensitivity	±1 °C	

Office Address: 61/8, Road #04, Block #B, Mirpur-12, Pallabi, Dhaka-1216

Phone: +8801911-537111, Email: worldtechbd11@gmail.com, Web: worldtechengineeringbd.com



WORLD TECH ENGINEERING & TRADING

Manufacturer, Importer, Distribution of Screen Printing Machine & Spare Parts

Phone: +880191153711, Mail: worldtechbd11@gmail.com, <https://www.worldtechengineeringbd.com>

Flexo Plate Making Machine

Application

Printed Fabric Garment Care Label Drying Oven is the ultimate solution for ensuring the longevity of your printed fabric garment care labels. This oven is designed specifically to dry printed fabric labels and keep them in perfect condition for as long as possible.



Technical Parameter

Model	Max exposing size(mm)	Machine size(mm)	Power supply (KW)	Power (KW)	Weight (KG)	Packing size (mm)
WED300	400*300	940*530*450	220V/50HZ	1.3KW	60KG	1000*630*550
WED450	450*600	1050*750*650	220V/50HZ	2KW	115KG	1200*850*775
WED500	500*700	1130*900*750	220V/50HZ	3.2KW	145KG	1270*1000*875

Office Address: 61/8, Road #04, Block #B, Mirpur-12, Pallabi, Dhaka-1216

Phone: +8801911-537111, Email: worldtechbd11@gmail.com, Web: worldtechengineeringbd.com



WORLD TECH ENGINEERING & TRADING

Manufacturer, Importer, Distribution of Screen Printing Machine & Spare Parts

Phone: +8801911537111, Mail: worldtechbd11@gmail.com, <https://www.worldtechengineeringbd.com>

JZC-5080 Micro-Computer Ultrasonic Label Cutting And Folding Machine.

Advantage

- 100% Computer Operation
- Be Simple to use
- Automatic batch stopping
- Chines and English Display



Technical Parameter

Model	JZC-5080	Cut Accuracy	± 0.5mm
Brand	JINGDA	Ultrasonic	1500W
Label Width	10~53mm	Welding Head	30k
Cutting Method	Complete Cut & Semi Cut	Power	220V/ar or 110v/ac
Through Put	200 piece per minute (80mm Label Length)	Dimension	850x680x1430mm
Cut Accuracy	± 0.5mm	Weight	150 KG

Office Address: 61/8, Road #04, Block #B, Mirpur-12, Pallabi, Dhaka-1216

Phone: +8801911-537111, **Email:** worldtechbd11@gmail.com, **Web:** worldtechengineeringbd.com



Wechat



whatsapp

Contact Info



+8801911537111



activecorporation632@gmail.com



worldtechbd11@gmail.com



worldtechengineeringbd.com